L Number	Hits	Search Text	DB	Time stamp
-	6182		USPAT;	2004/06/29 11:25
	0202	or gateway or fax or facsimile) and service	US-PGPUB;	2001,00,25 11.25
		and (memory or table or storage or store or	EPO; JPO;	
		storing or stored or buffer or repository)	DERWENT;	
		with (availability or available or access or	IBM TDB	
		accessible or accessibility) same ("not	_	
		near2 us?able" or "not near2 us?able" or		
		"isn't adj1 us?able" or blocked or down or		
		inoperable or "not near2 operable" or "out		
		of service" or "not in service" or "not		
		near2 function\$3")		
-	1160	(fax or facsimile) and service and (memory	USPAT;	2004/06/28 13:03
		or table or storage or store or storing or	US-PGPUB;	
		stored or buffer or repository) with	EPO; JPO;	
,		(availability or available or access or	DERWENT;	
		accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or	IBM_TDB	
		"isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out		
		of service" or "not in service" or "not		
		near2 function\$3")		
_	363	(fax or facsimile) and service and (memory	USPAT;	2004/06/28 13:33
		or table or storage or store or storing or	US-PGPUB;	2004,00,20 13.33
		stored or buffer or repository) with	EPO; JPO;	
		(availability or available or access or	DERWENT;	
		accessible or accessibility) same ("not	IBM TDB	
		near2 us?able" or "not near2 us?able" or		
		"isn't adj1 us?able" or blocked or down or		
		inoperable or "not near2 operable" or "out		
		of service" or "not in service" or "not		
		near2 function\$3") and (service adj2		
		provider)		
-	155		USPAT;	2004/06/30 13:13
		or table or storage or store or storing or	US-PGPUB;	
		stored or buffer or repository) with	EPO; JPO;	
		(availability or available or access or	DERWENT;	
		accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or	IBM_TDB	
		"isn't adil us?able" or blocked or down or		
		inoperable or "not near2 operable" or "out		
		of service" or "not in service" or "not	-	
		near2 function\$3") and (service adj2		
		provider) and @ad<19991228		
<b>-</b>	68	1 7	USPAT;	2004/06/30 10:11
		or table or storage or store or storing or	US-PGPUB;	
		stored or buffer or repository) with	EPO; JPO;	
		(availability or available or access or	DERWENT;	
		accessible or accessibility) same ("not	IBM_TDB	
		near2 us?able" or "not near2 us?able" or	İ	
		"isn't adj1 us?able" or blocked or down or		
		inoperable or "not near2 operable" or "out		
		of service" or "not in service" or "not		
]		near2 function\$3") and (service adj2		
		provider) and (((area adj1 network) or LAN		
]		or intranet or ISDN) same (PSTN or telephone or telephony or phone) and @ad<19991228		
_	68		USPAT;	2004/06/29 10:44
		or table or storage or store or storing or	US-PGPUB;	2004/00/23 10:44
		stored or buffer or repository) with	EPO; JPO;	
		(availability or available or access or	DERWENT;	
		accessible or accessibility) same ("not	IBM TDB	
]		near2 us?able" or "not near2 us?able" or		
1		"isn't adj1 us?able" or blocked or down or		
]		inoperable or "not near2 operable" or "out		
		of service" or "not in service" or "not		
		near2 function\$3") and (service adj2		
		provider) and (((area adj1 network) or LAN		
		or intranet or ISDN) same (PSTN or telephone		
		or telephony or phone or POTS)) and		
L		@ad<19991228	<u></u>	<u> </u>

			<u> </u>	
-	68	(fax or facsimile) and service and (memory	USPAT;	2004/06/29 11:36
		or table or storage or store or storing or	US-PGPUB;	
		stored or buffer or repository) with	EPO; JPO;	
		(availability or available or access or	DERWENT;	
		accessible or accessibility or (status near4	IBM_TDB	
		availab\$5)) same ("not near2 us?able" or		
	ļ	"not near2 us?able" or "isn't adj1 us?able"		
}		or blocked or down or inoperable or "not		
	•	near2 operable" or "out of service" or "not		
	İ	in service" or "not near2 function\$3") and		
		(service adj2 provider) and (((area adj1		
	ļ	network) or LAN or intranet or ISDN) same		
		(PSTN or telephone or telephony or phone or		
		POTS)) and @ad<19991228		
-	0	(fax or facsimile) and service and (memory	USPAT;	2004/07/01 09:48
		or table or storage or store or storing or	US-PGPUB;	1
		stored or buffer or repository) with (status	EPO; JPO;	
		near4 availab\$5) same ("not near2 us?able"	DERWENT;	
		or "not near2 us?able" or "isn't adj1	IBM TDB	
		us?able" or blocked or down or inoperable or	_	
		"not near2 operable" or "out of service" or		
		"not in service" or "not near2 function\$3")		
		and (service adj2 provider) and (((area adj1		
		network) or LAN or intranet or ISDN) same		
		(PSTN or telephone or telephony or phone or		
		POTS)) and @ad<19991228		
_	0	(fax or facsimile) and service and (memory	USPAT;	2004/06/29 10:52
		or table or storage or store or storing or	US-PGPUB;	, , , ,
		stored or buffer or repository) same (status	EPO; JPO;	
		near4 availab\$5) same ("not near2 us?able"	DERWENT;	
		or "not near2 us?able" or "isn't adj1	IBM TDB	
		us?able" or blocked or down or inoperable or	<u>-</u>	
		"not near2 operable" or "out of service" or		
		"not in service" or "not near2 function\$3")		
		and (service adj2 provider) and (((area adj1		
		network) or LAN or intranet or ISDN) same		
		(PSTN or telephone or telephony or phone or		
		POTS)) and @ad<19991228		
-	0	(fax or facsimile) and service and (memory	USPAT;	2004/06/29 10:53
	_	or table or storage or store or storing or	US-PGPUB;	2001, 00, 25 20.55
		stored or buffer or repository) same (status	EPO; JPO;	
		with availab\$5) same ("not near2 us?able" or	DERWENT;	
		"not near2 us?able" or "isn't adj1 us?able"	IBM TDB	
		or blocked or down or inoperable or "not		
		near2 operable" or "out of service" or "not		
		in service" or "not near2 function\$3") and		
		(service adj2 provider) and (((area adj1		
		network) or LAN or intranet or ISDN) same		
		(PSTN or telephone or telephony or phone or		
		POTS)) and @ad<19991228		
-	6		USPAT;	2004/06/29 10:53
		or table or storage or store or storing or	US-PGPUB;	2004/00/23 10:33
		stored or buffer or repository) same (status	EPO; JPO;	
		with availab\$5) same ("not near2 us?able" or	DERWENT;	
		"not near2 us?able" or "isn't adj1 us?able"	IBM_TDB	
		or blocked or down or inoperable or "not	1517_105	
		near2 operable or "out of service" or "not		
		in service" or "not near2 function\$3") and		
		(service adj2 provider) and (((area adj1	1	
		network) or LAN or intranet or ISDN) same		
		(PSTN or telephone or telephony or phone or		
		POTS))		
	·		L	<u> </u>

_	20	(terminal or apparatus or device or server or gateway or fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adjl us?able" or blocked or down or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:27
		<pre>inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and SPID</pre>		
-	191	(fax or facsimile) and (memory or table or storage or store or storing or stored or buffer or repository) same (service with (availability or available or access or accessible or accessibility or (status near4 availab\$5))) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:40
-	778	(fax or facsimile) same (memory or table or storage or store or storing or stored or buffer or repository) same (service with (availability or available or access or accessible or accessibility or (status near4 availab\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:40
-	889	, , , ,	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:49
	416	((fax or facsimile) same (list\$3 or memory or table or storage or store or storing or stored or buffer or repository) same (service with (availability or available or access or accessible or accessibility or (status near4 availab\$5)))) and ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:42
-	15	(fax or facsimile) same (detect\$3 with availab\$5 with service)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/29 12:54
-	6	<pre>(fax or facsimile) same (detect\$3 with availab\$5 with (service or feature)) and (stor\$3 with availab\$5 with (service or feature))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/29 13:49
-	39	<pre>(fax or facsimile) and (detect\$3 with availab\$5 with (service or feature)) and (stor\$3 with availab\$5 with (service or feature))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/29 13:49
-	632	<pre>(fax or facsimile) and ((press\$3 or depress\$3) with (key or button) with (simultaneous\$2 or ("same time") or together or concurrent))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/30 13:21
-	130	<pre>((fax or facsimile) and ((press\$3 or depress\$3) with (key or button) with (simultaneous\$2 or ("same time") or together or concurrent))) and (email or e-mail or (electronic adj1 mail) or (internet adj1 mail))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:22

or table or storage or "unct in service" or "not near2 operable" or "unct of service" or "not in service" or "not near2 functions3" and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (FSTM or telephone or telephone) or storage or storage or storage or storage or storage or storage or storage or storage or storage or storage or storage or "unct near2 usrable" or "not near2 u					
stored or buffer or repository) with (status near4 awailabs)s same ("not near2 us?able" or "inchear2 us?able" or stored or buffer or repository) with (istatus provider) and ((istatus provider) and (istatus provider)	-	0	(fax or facsimile) and service and (memory		2004/07/01 09:52
near4 availab55) same ("not near2 us?able" or "not near2 us?able" or "not near2 us?able" or "not of near2 operable" or "out of service" or "not near2 operable" or "not of service" or "not near2 operable" or "not near2 us?able" or portal or stored or buffer or repository) with (status near4 availab55) same ("not near2 usrable" or stored or buffer or repository) with (status near4 availab55) same ("not near2 usrable" or "stored or buffer or repository) with (status near4 availab55) same ("not near2 usrable" or "stored or buffer or "stored or buffer or "stored or buffer or "stored or buffer or "stored or buffer or "stored or buffer or "stored or buffer or "stored or buffer or "stored or buffer or "stored or buffer or "stored or buffer or "stored or buffer or "stored or buffer or "stored or buffer or "stored or buffer or "stored or buffer or "stored or buffer or stored or buffer or "stored or buffer or stored or stored or buffer or stored or buffer or stored or buffer or stored or buffer or stored or buffer or stored or buffer or stored or buffer or stored or buffer or stored or buffer or stored or buffer or stored or buffer or stored or buffer or stored or buffer or stored or buffer or stored or buffer or st					
or "not near2 us?able" or "ism't adj1 us?able" or blocked or down or inoperable or "not in service" or "out of service" or "not in service" or "out of service" or "not in service" or "not near2 functions3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) asame (PSTW or telephone or telephony or phone or of table or storage or store or storing or stored or buffer or repository) with (status near4 availab55) same ("not near2 us?able" or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or "stored or buffer or repository) with (status near4 availab53) same ("not near2 functions3") and (service adj2 provider) and (((area adj1 network) or LaN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and serlad-19991228  (fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab55) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?ab					
"not near2 operable" or "out of service" or "not in service" or "not near2 functions3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN) or telephone or telephony or phone or POTS)) and erland19931228 or to table or storage or store or storing or stored or buffer or repository) with (status near4 availab55) same ("not near2 usrable" or "not near2 operable" or "out of service" or "not in service" or "not near2 functions3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (POTS) and erland or telephony or phone or  "fax or faceimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab55) same ("not near2 usrable" or "not near2 usrable" or "isn't adj1 usrable" or blocked or down or inoperable or "not near2 usrable" or "isn't adj1 usrable" or blocked or down or inoperable or "not near2 usrable" or "isn't adj1 usrable" or blocked or down or inoperable or "not near2 usrable" or "isn't adj1 usrable" or blocked or down or inoperable or "not near2 usrable" or "isn't adj1 usrable" or blocked or down or inoperable or "not near2 usrable" or "isn't adj1 usrable" or blocked or down or inoperable or "not near2 usrable" or "isn't adj1 usrable" or blocked or down or inoperable or "not near2 usrable" or "isn't adj1 usrable" or blocked or down or inoperable or "not near2 usrable" or "isn't adj1 usrable" or blocked or down or inoperable or "not near2 usrable" or "isn't adj1 usrable" or blocked or down or inoperable or "not near2 usrable" or "isn't adj1 usrable" or blocked or down or inoperable or "not near2 usrable" or "isn't adj1 usrable" or blocked or down or inoperable or "not near2 usrable" or "isn't adj1 usrable" or blocked or down or inoperable or "not near2 usrable" or "isn't adj1 usrable" or blocked or "isn't adj1 usrable" or blocked or "isn't adj1 usrable" or blocked or "isn't adj1 usrable" or blocked or "isn't adj1 usrable" or blocked or "isn't adj1 usrable" or block				1	
and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or pOTS)) and @rlan:19991228  1 (If are adj1 network) or table or storage or store or storing or table or storage or store or storing or table or storage or store or storing or table or storage or store or storing or table or storage or store or storing or more near availabs5) same [poto table or "not near2 us?able" or "locked or down or inoperable or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or stored or butter or repository with (status or stored or butter or repository with (status or stored or butter or repository with (status or "not near2 operable" or "storing or stored or butter or repository with (status or "not near2 usrable" or "storing or "stored or butter or repository with (status or "not near2 usrable" or "storing or "stored or butter or repository with (status or "not near2 usrable" or "storing or "stored or butter or repository with (status or "not near2 usrable" or "storing or "stored or butter or repository with (status or "not near2 usrable" or "storice" or "not inservice" or "not near2 usrable" or "storice" or "not near2 usrable" or "storice" or "not near2 usrable" or "storice" or "not inservice" or "not near2 usrable" or "storice" or "not inservice" or "not near2 usrable" or "storice" or "not inservice" or "not near2 usrable" or "storice" or "not inservice" or "not near2 usrable" or "storice" or "not inservice" or "not near2 usrable" or "storice" or "not inservice" or "not near2 usrable" or "storice" or "not inservice" or "not near2 usrable" or "storice" or "not inservice" or "not near2 usrable" or "storice" or "not inservice" or "not near2 usrable" or "storice" or "not inservice with availabs5 or offers3))) and ((detector or detect or detecting) with ((indicats) or display\$1 or list) with service with availabs5 or offers3)) and (indicated or detect or detecting) with ((indicated			us?able" or blocked or down or inoperable or	_	
and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and deflancisp991228 (fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab55) same ("not near2 usrable" or "isn't adj1 memory or table or storage or store or storing or "not near2 usrable" or "unot near2 usrable" or "not near2 usrable" or "not near2 usrable" or "not near2 usrable" or "not offersiale or "not near2 usrable" or "not offersiale or "not near2 usrable" or "not offersiale or "not in service" or "not near2 usrable" or "not offersiale or stored or buffer or repository) with (status near4 availab55) and (status near4 availab55) and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab55) and (indicat52 or "not near2 usrable" or "son tear2 usrable" or "son tear2 usrable" or "son tear2 usrable" or "son tear2 usrable" or "not near2 usrable" or "not of service" or "not near2 usrable" or "not of service" or "not near2 usrable" or "not of service" or "not near2 usrable" or "son to as adj1 network) or LAN or intranet or ISDN as add (PSTN or telephone or telephony or phone or POTS)) and extac2ool1228 (service adj provider) and (memory same (service near5 (availab55 or offers3)))  [SPAT; USPAT;		ļ			
network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rlanc19991228  0 (fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab55) same ("not near2 us?able" or "not near2 operable" or "not inservice" or "not near2 operable" or "not or load or land or					
(ESTN or telephone or telephony or phone or POTS)) and %clancips91228 (service adj provider) and (feres) and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availabs5) same "not near2 us?able" or locked or down or inoperable or "not in service" or "not near2 us?able" or locked or down or inoperable or "not in service" or "not near2 us?able" or locked or down or inoperable or stored or buffer or repository) with (status near4 availabs5) same "not near2 us?able" or locked or down or inoperable or pots)) and %clad					
POTS ) and @rlanc19991228   USPAT;					
or table or storage or store or storing or stored or buffer or repository) with (status near4 availab5) same ("not near2 us7able" or "isn't adj1 us7able" or "not near2 us7able" or "or "or or "not near2 operable" or "or "or or "not near2 operable" or "or "or or not near2 operable" or "or "or or not near2 operable" or "or or to near2 operable" or "or or to near2 operable" or "or or not near2 operable" or "or or to near2 operable or "or or to near2 operable" or "or to near2 operable or "or to near2 operable or "or to rable or storage or store or storing or stored or buffer or repository) with (status near4 availab5) same ("or "not near2 us7able" or "isn't adj1 us7able" or blocked or down or inoperable or "not near2 us7able" or "or or or "not near2 us7able" or "or "or or or "not near2 us7able" or "or "or or or "not near2 operable" or "or "or or "not near2 operable" or "or "or or "not near2 operable" or "or "or or "not near2 us7able" or "or "or or "not near2 us7able" or "or "or "or or "not near2 us7able" or "or "or or "not near2 us7able" or "or "or "or or "not near2 us7able" or "or "or "or "or or "not near2 us7able" or "or "or "or "or or "not near2 us7able" or "or "or "or "or or "not near2 us7able" or "or "or "or "or or "not near2 us7able" or "or "or "or "or or "not near2 us7able" or "or "or "or "or or "not near2 us7able" or "or "or "or "or "or or "or "or or "or "					
stored or buffer or repository) with (status near4 availab5s) same ("not near2 washale" or "not near2 washale" or "sim't adj1 us?able" or "lot own or inoperable or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or "not in service" or "not near2 for near2 function\$3") and (service adj2 provider) and ((larea adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephone or telephone or table or storage or store or storing or stored or buffer or repository) with (status near4 availab5s) same ("not near2 us?able" or "ism't adj1 us?able" or "not near2 us?able" or "sim't adj1 us?able" or "not near2 us?able" or "out of service" or "not in service" or "not near2 for near2 function\$3") and (service adj2 provider) and ((larea adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS) and error detection with service mear5 (availab\$5 or offer\$3))) and ((detector or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$	-	0		USPAT;	2004/07/01 09:53
near4 availab\$\$) same ("not near2 us?able" or "not near2 us?able" or "not near2 us?able" or "sisn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and ((larea adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or stored or buffer or repository) with (status) near4 availab\$\$1 same ("not near2 us?able" or "not near2 us?able or "not n			or table or storage or store or storing or	US-PGPUB;	
or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LaNo or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and Garlad:19991228  0 (fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LaNo or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and Garlad-20011228  1260 (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)  - 961 (((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)) ((detector or detect or detecting) with service with availab\$5 or offer\$3)  - 10 ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)) (((detector or detect or detecting) with service with availab\$5 or offer\$3)  - 10 ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)) (((detector or detect or detecting) with service with availab\$5 or offer\$3)  - 10 ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)) (((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)) (((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)) ((service near5 (availab\$5 or offer\$3))  - 10 ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)) ((service near5 (availab\$5 or o					
us?able" or blocked or down or inoperable or "not near2 operable" or "not near2 operable" or "not near2 function53" and (service adj2 provider) and ((larea adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rladc19991228 (fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab55) same ("not near2 us?able" or "not near2 us?able" or "sion't adj1 us?able" or blocked or down or inoperable or "not in service" or "not near2 function53" and (service adj2 provider) and ((larea adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rladc20011228 (service adj2 provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab55 or offer\$3))) and ((detector or detect or detecting) with service with availab55 or offer\$3)) and ((detector or detect or detecting) with service with availab55 or offer\$3)) and ((detector or detect or detecting) with service with availab55 or offer\$3)) and ((detector or detect or detecting) with service with availab55 or offer\$3)) and ((detector or detect or detecting) with service with availab55 or offer\$3)) and ((detector or detect or detecting) with service with availab55 or offer\$3)) and ((detector or detect or detecting) with service with availab55 or offer\$3) and ((detector or detect or detecting) with service with availab55 or offer\$3) and ((detector or detect or detecting) with service with availab55 or offer\$3) and ((detector or detect or detecting) with service with availab55 or offer\$3)) and ((detector or detect or detecting) with service with availab55 or offer\$3)) and ((detector or detect or detecting) with service with availab55 or offer\$3)) and ((detector or detect or detecting) with service with availab55 or offer\$3)) and ((detector or detect or detecting) with service with availab55 or offer\$3)) and ((detector or detect or detectin			near4 availab\$5) same ("not near2 us?able"		
"not in service" or "not near2 function(s)" and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and 6rada(1991228  - 0 (fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab55) same ("not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?able" or "out of service" or "not near2 us?able" or "out of service" or "not in service" or "not near2 function(s)" and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephone or POTS)) and %rlada(20011228 (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)  - 962 ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or 1ist) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or 1ist) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$5 or offer\$3)) and (indicat\$3 or display\$5 or offer\$3)) and (indicat\$3 or display\$5 or offer\$3) and (indicat\$3 or display\$5 or offer\$3) and (indicat\$3 or display\$5 or offer\$3) and (indicat\$3 o				IBM_TDB	
"not in service" or "not near2 functions3" and (service adj2 provider) and ((larea adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rladc19991228 (fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab55) same ("not near2 us7able" or "not near2 soft not near2 us7able" or "not near2 functions3" and (service adj2 provider) and ((larea adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rladc20011228 (service adj provider) and (memory same (service near5 (availab55 or offer53))) and ((detector or detect or detecting) with service with availab55 or offer53))) and ((detector or detect or detecting) with service with availab55 or offer53)) and ((detector or detect or detecting) with service with availab55 or offer53)) and ((detector or detect or detecting) with service with availab55 or offer53)) and ((detector or detect or detecting) with service with availab55 or offer53)) and ((detector or detect or detecting) with service with availab55 or offer53)) and ((detector or detect or detecting) with service with availab55 or offer53)) and ((detector or detect or detecting) with service with availab55 or offer53)) and ((detector or detect or detecting) with service with availab55 or offer53)) and ((detector or detect or detecting) with service with availab55 or offer53)) and ((detector or detect or detecting) with service with availab55 or offer53)) and ((detector or detect or detecting) with service with availab55 or offer53)) and ((detector or detect or detecting) with service with availab55 or offer53)) and ((detector or detect or detecting) with service with availab55 or offer53)) and ((detector or detect or detecting) with service with availab55 or offer53)) and (detector or detect or detecting) with service with					
and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and service of more repository) with (status near4 availab\$5) same ("not near2 usrable" or "not near2 usrable" or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or "not in service" or "not near2 function33" and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and %rlad - 1260 (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)) and ((idetector or or detect or detecting) with service with availab\$5 or offer\$3)) and ((idetector or or offer\$3)) and ((idetector or or offer\$3)) and ((idetector or or offer\$3)) and ((idetector or offer\$3)) and ((idetector or offer\$3)) and ((idetector or offer\$3)) and (idetector					
network) or LAN or intranet or ISDN) same (PSTN or telephone or telephone) or telephone or pOTS)) and @rlad<19991228  0 (fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab\$5) same ("not near2 usrable" or "not near2 usrable" or "not near2 operable" or "out of service" or "not in service" or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or "not near2 operable or "not near2 function\$3") and (service adj2 provider) and (memory same (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((sindicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((service adj provider) and (memory same (service with availab\$5 or offer\$3)) and ((sindicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((service adj provider) and (memory same (service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and (service adj provider) and (memory same (service adj provider) and (memory same (service adj provider) and (memory same (service adj provider) and (memory same (service adj provider) and (memory same (service adj provider) and (memory same (service adj provider) and (memory same (service adj provider) and (memory same (service adj provider) and (service service with availab\$5 or offer\$3)) and (service adj service					
POTS)) and Grladc19991228 (fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab\$5) same ("not near2 us?able" or "not near2 us?able" or "not near2 operable" or "insi't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same ((STN or telephone or telephony or phone or POTS)) and Grladc20011228  1260 ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) und ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))  1050 (((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) und ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))  1050 ((((service adj provider) and (memory same (service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and (((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (service availab\$5 or offer\$3))) and (service availab\$5 or offer\$3)) and (service near5 (availab\$5 or offer\$3)) and (service availab\$5 or offe					
o (fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab\$5) same ("not near2 us?able" or "inot near2 operable" or "sin't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or "not near2 operable" or "out of service" or "not in service" or "not near2 powerable or "out of service adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephone or pots)) and @rlad 1260 (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service near5 (availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service near5 (availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service near5 (availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service near5 (availab\$5 or offer\$3))) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with				-	
stored or buffer or repository) with (status near4 availab\$5) same ("not near2 us?able" or "not near2 us?able" or "not near2 us?able" or "not near2 operable" or "out of service" or "not in service adj2 provider) and ((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((service adj provider) and (memory same (service with availab\$5 or offer\$3)) and (service adj provider) and (service ad		_			
stored or buffer or repository) with (status near4 availab\$5) same ("not near2 us?able" or "isn't adj1 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or relephony or phone or POTS)) and @rlad<20011228 (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone) ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (detector or detect or detecting) with service with availab\$5 or offer\$3))) and (detector or detect or detecting) with service with availab\$5 or offer\$3))) and (detector or detect or detecting) with service with availab\$5 or offer\$3))) and (fax or facsimile) and (soft) or detect or detecting) with service with availab\$5 or offer\$3))) and (fax or facsimile) and (soft) or detect or detecting) with service with availab\$5 or offer\$3))) and (soft) or detect or detecting) with service with availab\$5 or offer\$3)) and (soft) or detect or detecting) with service with availab\$5 or offer\$3	-	0			2004/07/01 09:53
near4 availab\$5) same ("not near2 us?able" or "isn't adj1 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 us?able" or "isn't adj1 us?able" or "isn't adj1 us?able" or "out of service" or "not in service" or "not in service" or "not in service" or "not in service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and own advalca011228  - 1260  1260  1260  1260  ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))  ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and (detector or detect or detecting) with service with availab\$5 or offer\$3) and (Demonstrate of the provider and the provider and the					
or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or relephony or phone or POTS)) and @rlad<020011228  (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))  (SPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  2004/07/01 13:18 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  2004/07/01 13:18 US-PGP					
us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rlad<20011228  1260 ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) ((service adj provider) and (memory same (service mear5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and (((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and (((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and (((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and (((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and (((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))  DERWENT: IBM_TDB				1	
"not in service "or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rladc20011228  - 1260 (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))  - 962 (((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service mear5 (availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((idicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))  DERWENT;  IBM_TDB  2			,		
and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rlad<20011228  1260 (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))  962 ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service near5 (availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3) and (indicat\$3 or display\$3 or list) with service w			•		
network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rlad<20011228  (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))  ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)  [SPO; JPO; DERWENT; DEWNOT; DEWN					
POTS)) and @rlad<20011228  (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))  ((service adj provider) and (memory same (detector or detect or detecting) with service with availab\$5 or offer\$3))) and (detector or detect or detecting) with service with availab\$5 or offer\$3)) and (dindicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (detector or detect or detecting) with service with availab\$5 or offer\$3)  305  ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and (didtector or detect or detecting) with service with availab\$5 or offer\$3)  ((((service adj provider) and (memory same (didtector or detect or detecting) with service with availab\$5 or offer\$3)) and (didtector or detect or detecting) with service with availab\$5 or offer\$3)) and (didtector or detect or detecting) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)  ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or					
POTS ) and @rlad<20011228     (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))   EBC; JPO; DERWENT; IBM_TDB (service near5 (availab\$5 or offer\$3))) and (detector or detect or detecting) with service near5 (availab\$5 or offer\$3))) and (detector or detect or detecting) with service with availab\$5 or offer\$3))) and (detector or detect or detecting) with service with availab\$5 or offer\$3))) and (didata\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and (detector or detect or detecting) with service near5 (availab\$5 or offer\$3))) and (detector or detect or detecting) with service near5 (availab\$5 or offer\$3))) and (detector or detect or detecting) with service near5 (availab\$5 or offer\$3))) and (detector or detect or detecting) with service with availab\$5 or offer\$3)) and (dindicat\$3 or display\$3 or list) with service near5 (availab\$5 or offer\$3))) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone) (((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (fax or facsimile) same (LAN or (area adj network) or telephone or pots or offer\$3))) and (detector or detect or detecting) with service near5 (availab\$5 or offer\$3))) and (detector or detect or detecting) with service near5 (availab\$5 or offer\$3))) and (dindicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or DERWENT; IBM_TDB					
Service adj provider   and (memory same (service near5 (availab\$5 or offer\$3)))   SerWENT;   SerGPUB;   SepO; JPO;   DERWENT;   IBM_TDB   Service near5 (availab\$5 or offer\$3)))   and (detector or detect or detecting) with service with availab\$5 or offer\$3)))   and (detector or detect or detecting) with service with availab\$5 or offer\$3)))   and (detector or detect or detecting) with service with availab\$5 or offer\$3)   SerVice adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))   and (detector or detect or detecting) with service with availab\$5 or offer\$3)   SerVice adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))   and (dindicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))   and (dindicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))   and (dindicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))   and (detector or detect or detecting) with service with availab\$5 or offer\$3))   and (fax or facsimile) and (LAN or (area adj) network) or telephone or POTS or PSTN or phone)   Service with availab\$5 or offer\$3))   and (detector or detect or detecting) with service with availab\$5 or offer\$3))   and (detector or detect or detecting) with service with availab\$5 or offer\$3))   and (detector or detect or detecting) with service with availab\$5 or offer\$3)   and (fax or facsimile) same (LAN or (area adj) network) or telephone or POTS or PSTN or PSTN or STN					
(service near5 (availab\$5 or offer\$3)))  (service near5 (availab\$5 or offer\$3)))  ((service adj provider) and (memory same (service mear5 (availab\$5 or offer\$3)))) and (service with availab\$5 or offer\$3))) and (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and (service near5 (availab\$5 or offer\$3)))) and (service with availab\$5 or offer\$3))) and (service with availab\$5 or offer\$3))) and (service with availab\$5 or offer\$3))) and (service near5 (availab\$5 or offer\$3))) and (service near5 (availab\$5 or offer\$3)))) and (service near5 (availab\$5 or offer\$3)))) and (service with availab\$5 or offer\$3))) and (service with availab\$5 or offer\$3))) and (service with availab\$5 or offer\$3)) and (service with availab\$5 or offer\$3)) and (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)) and (service near5 (availab\$5 or offer\$3)) and (service near5 (availab\$5 or offer\$3)) and (service near5 (availab\$5 or offer\$3)) and (service near5 (availab\$5 or offer\$3)) and (service near5 (availab\$5 or offer\$3)) and (service near5 (availab\$5 or offer\$3)) and (service near5 (availab\$5 or offer\$3)) and (service near5 (availab\$5 or offer\$3)) and (service near5 (availab\$5 or offer\$3)) and (service near5 (availab\$5 or offer\$3)) and (service ne	_	1260		USPAT:	2004/07/01 13:54
- 962  ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)) and (idetector or detect or detecting) with service with availab\$5 or offer\$3)) and (idetector or detect or detecting) with service with availab\$5 or offer\$3)) and (idetector or detect or detecting) with service with availab\$5 or offer\$3)) and (idetector or detect or detecting) with service with availab\$5 or offer\$3)) and (idetector or detect or detecting) with service with availab\$5 or offer\$3)) and (idetector or detect or detecting) with service with availab\$5 or offer\$3)) and (idetector or detect or detecting) with service with availab\$5 or offer\$3)) and (idetector or detect or detecting) with service with availab\$5 or offer\$3)) and (idetector or detect or detecting) with service with availab\$5 or offer\$3)) and (idetector or detect or detecting) with service with availab\$5 or offer\$3)) and (idetector or det		·			
- 962 ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or				EPO; JPO;	
((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or bone)  235 ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or					
(service near5 (availab\$5 or offer\$3))) and (detector or detect or detecting) with service with availab\$5 or offer\$3)  ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (detector or detect or detecting) with service with availab\$5 or offer\$3)) and (detector or detect or detecting) with service with availab\$5 or offer\$3) and (service near5 (availab\$5 or offer\$3)) and (detector or detect or detecting) with service with availab\$5 or offer\$3)) and (detector or detect or detecting) with service with availab\$5 or offer\$3)) and (dindicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)  (((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and (detector or detect or detecting) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (land or farea adj network) or telephone or POTS or PSTN or DERWENT; IBM_TDB  ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or		062	(/gamaiga add massaidau) and (massas and	_	0004/05/04 40 46
((detector or detect or detecting) with service with availab\$5 or offer\$3)  (((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and (detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone) (((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or	_	962	((service ad) provider) and (memory same		2004/07/01 13:16
service with availab\$5 or offer\$3)  961  (((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service mar5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)  (((service adj provider) and (memory same (service mar5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or					
(((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((idetector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service near5 (availab\$5 or offer\$3)) and ((detector or detect or detecting) with service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)  ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and (((((service adj provider) and (memory same (service with availab\$5 or offer\$3)))) and ((((((service adj provider) and (memory same (service with availab\$5 or offer\$3)))) and (((((((((((((((((((((((((((((((((((					
(((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((indicat\$3 or display\$3 or list) with service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3))) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)  (((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or			,		
((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)  ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or	-	961		USPAT;	2004/07/01 13:54
service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3) ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone) ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or					
((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)  ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and (detector or detect or detecting) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)  ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and (detector or detect or detecting) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or				•	
service with availab\$5 or offer\$3)  ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and (detector or detect or detecting) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)  (((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and (detector or detect or detecting) with service with availab\$5 or offer\$3))) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or phone)  ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or				•	
((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)  (((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or  USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  DERWENT; IBM_TDB				TEM_IDE	
<pre>(service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone) ((((service adj provider) and (memory same</pre>	-	305		USPAT:	2004/07/01 13:18
((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)  ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or					
((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)  ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or					
service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)  ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or					
or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)  ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and (detector or detect or detecting) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or				IBM_TDB	
or telephone or POTS or PSTN or phone) ((((service adj provider) and (memory same					
- 235 ((((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and (detector or detect or detecting) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or					
(service near5 (availab\$5 or offer\$3)))) and (US-PGPUB; (detector or detect or detecting) with service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or	-	235	((((service adj provider) and (memory same	USPAT;	2004/07/01 13:05
service with availab\$5 or offer\$3)) and (indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or			(service near5 (availab\$5 or offer\$3)))) and	·	, , , , , , , , , , , , , , , , , , , ,
((indicat\$3 or display\$3 or list) with Service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or					
service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or			service with availab\$5 or offer\$3)) and		
or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or				IBM_TDB	
network) or telephone or POTS or PSTN or					

-	893	(fax or facsimile) and (service adj provider) and ((database or memory or	USPAT; US-PGPUB;	2004/07/01 13:20
		listing) same (services! near5 (availab\$5 or	EPO; JPO;	
		offer\$3)))	DERWENT; IBM TDB	
-	809	((fax or facsimile) and (service adj provider) and ((database or memory or	USPAT; US-PGPUB;	2004/07/09 07:57
		listing) same (services! near5 (availab\$5 or	EPO; JPO;	
		offer\$3)))) and ((detector or detect or detecting) with services! with availab\$5 or	DERWENT; IBM TDB	
		offer\$3)	1511_155	
-	809	(((fax or facsimile) and (service adj provider) and ((database or memory or	USPAT; US-PGPUB;	2004/07/01 13:18
		listing) same (services! near5 (availab\$5 or	EPO; JPO;	
		offer\$3)))) and ((detector or detect or detecting) with services! with availab\$5 or	DERWENT; IBM_TDB	
		offer\$3)) and ((indicat\$3 or display\$3 or list) with services! with availab\$5 or	_	
		offer\$3)		
-	794	((((fax or facsimile) and (service adj provider) and ((database or memory or	USPAT; US-PGPUB;	2004/07/01 13:18
		listing) same (services! near5 (availab\$5 or	EPO; JPO;	
		offer\$3)))) and ((detector or detect or detecting) with services! with availab\$5 or	DERWENT; IBM TDB	
		offer\$3)) and ((indicat\$3 or display\$3 or	12122	
		list) with services! with availab\$5 or offer\$3)) and (LAN or (area adj network) or		
	610	telephone or POTS or PSTN or phone) (fax or facsimile) and (service adj	IICDAM.	2004/07/01 12 26
	619	provider) and ((database or memory or list\$3	USPAT; US-PGPUB;	2004/07/01 13:36
		or store or storing or storage) with (services! near5 (availab\$5 or offer\$3)))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	47	(database or memory or list\$3 or store or storing or storage) same ((detector or	USPAT; US-PGPUB;	2004/07/01 13:36
		detect or detecting) with (services! near5	EPO; JPO;	
		(availab\$5 or offer\$3)))	DERWENT; IBM_TDB	
-	13	(fax or facsimile) and (database or memory or list\$3 or store or storing or storage)	USPAT; US-PGPUB;	2004/07/01 13:31
		same ((detector or detect or detecting)	EPO; JPO;	
		<pre>with (services! near5 (availab\$5 or offer\$3)))</pre>	DERWENT; IBM TDB	
-	13	(fax or facsimile) and (database or memory	USPAT;	2004/07/01 13:31
		or list\$3 or store or storing or storage) same ((detector or detect or detecting) with	US-PGPUB; EPO; JPO;	
		(services! near5 (availab\$5 or offer\$3)))	DERWENT; IBM TDB	
-	3	(fax or facsimile) and (service adj	USPAT;	2004/07/01 13:40
		provider) and ((database or memory or list\$3 or store or storing or storage) with	US-PGPUB; EPO; JPO;	
-		(services! near5 (availab\$5 or offer\$3)))	DERWENT;	
		and (database or memory or list\$3 or store or storing or storage) same ((detector or	IBM_TDB	
		detect or detecting) with (services! near5 (availab\$5 or offer\$3)))		
-	178	(fax or facsimile) and (service adj	USPAT;	2004/07/01 13:50
		provider) and ((database or memory or list\$3 or store or storing or storage) with	US-PGPUB; EPO; JPO;	
		(services! near5 (availab\$5 or offer\$3))) and ((display\$3 or indicat\$3 or show\$3) with	DERWENT;	
		(services! near5 (availab\$5 or offer\$3)))	IBM_TDB	
-	2	(fax or facsimile) and (service adj provider) and ((database or memory or list\$3	USPAT; US-PGPUB;	2004/07/01 13:50
		or store or storing or storage) with	EPO; JPO;	
		(services! near5 (unavailab\$5 or "not offer\$3"))) and ((display\$3 or indicat\$3 or	DERWENT; IBM_TDB	
		show\$3) with (services! near5 (availab\$5 or offer\$3)))	_	
<u> </u>	L			

-	49	provider) and ((database or memory or list\$3 or store or storing or storage) same (services! near5 (availab\$5 or offer\$3))) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 15:14
-	81	service" or "not near2 function\$3") (fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) and (services! near5 (availab\$5 or offer\$3))) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 15:14
	32	((fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) and (services! near5 (availab\$5 or offer\$3))) same ("not near2 us?able" or "not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")) not ((fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) same (services! near5 (availab\$5 or offer\$3))) same ("not near2 us?able" or "not near2 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 15:23
-	346	service" or "not near2 function\$3")) stor\$3 with (fax or facsimile) with services!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 15:26
-	59	(stor\$3 with (fax or facsimile) with services!) same availab\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 10:54
-	6906	(fax or facsimile) and ((access\$3 or denial or deny\$3 or denied) with services!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 07:47
-	1051	<pre>(fax or facsimile) same ((access\$3 or denial   or deny\$3 or denied) with services!)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 07:48
-	455	<pre>(fax or facsimile) same ((access\$3 or denial   or deny\$3 or denied) with services!) and   (memory or storing or storage) and (service   adj provider)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 07:50
-	419	(fax or facsimile) same ((access\$3 or denial or deny\$3 or denied) with services!) and (memory or storing or storage) and (service adj provider) and network and (LAN or (area adj network) or telephone or POTS or PSTN or phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:52

-	824	(fax or facsimile or (communication adj	USPAT;	2004/07/09 07:53
		(terminal or apparatus or device))) same ((access\$3 or denial or deny\$3 or denied)	US-PGPUB; EPO; JPO;	
		with services!) and (memory or storing or	DERWENT;	
		storage) and (service adj provider) and	IBM TDB	1
		network and (LAN or (area adj network) or		
		telephone or POTS or PSTN or phone)		
_	417	(fax or facsimile or (communication adj	USPAT;	2004/07/09 07:53
		(terminal or apparatus or device))) with	US-PGPUB;	
		((access\$3 or denial or deny\$3 or denied)	EPO; JPO;	
		with services!) and (memory or storing or	DERWENT;	
		storage) and (service adj provider) and	IBM_TDB	
		network and (LAN or (area adj network) or telephone or POTS or PSTN or phone)		
_	56		USPAT;	2004/07/09 08:00
	]	(terminal or apparatus or device))) with	US-PGPUB;	2004/07/09 08:00
		((access\$3 or denial or deny\$3 or denied)	EPO; JPO;	
		with services!) same (memory or storing or	DERWENT;	
		storage) and (service adj provider) and	IBM TDB	
		network and (LAN or (area adj network) or	_	
		telephone or POTS or PSTN or phone)		
-	2314	services! with ("not near2 us?able" or "not	USPAT;	2004/07/09 09:05
		near2 us?able" or "isn't adj1 us?able" or	US-PGPUB;	
		blocked or down or inoperable or "not near2	EPO; JPO;	
		operable or "out of service" or "not in	DERWENT;	
_	4379601	service" or "not near2 function\$3")   database or memory or table or listing or	IBM_TDB USPAT;	2004/07/09 07:59
_	4379001	list or listed or store or storing or	US-PGPUB;	2004/07/09 07:39
,		storage	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	336	(services! with ("not near2 us?able" or "not	USPAT;	2004/07/09 08:00
		near2 us?able" or "isn't adj1 us?able" or	US-PGPUB;	
		blocked or down or inoperable or "not near2	EPO; JPO;	
		operable" or "out of service" or "not in	DERWENT;	
		service" or "not near2 function\$3")) with	IBM_TDB	
		(database or memory or table or listing or list or listed or store or storing or		
		storage)		
_	345491		USPAT;	2004/07/09 08:01
		(terminal or apparatus or device)))	US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	((fax or facsimile or (communication adj	USPAT;	2004/07/09 08:01
		(terminal or apparatus or device)))) same	US-PGPUB;	
		((services! with ("not near2 us?able" or	EPO; JPO;	
		"not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not	DERWENT; IBM TDB	
		near2 operable or "out of service" or "not	1511-178	
		in service or "not near2 function\$3")) with		
		(database or memory or table or listing or		
		list or listed or store or storing or		
		storage))		
-	309	services! with ("not near2 us?able" or "not	USPAT;	2004/07/09 08:43
		near2 us?able" or "isn't adj1 us?able" or	US-PGPUB;	
		blocked or inoperable or "not near2	EPO; JPO;	
		operable or "out of service" or "not in	DERWENT;	
_	40	<pre>service" or "not near2 function\$3") (services! with ("not near2 us?able" or "not</pre>	IBM_TDB	2004/07/09 08:05
	40	near2 us?able" or "isn't adj1 us?able" or	USPAT; US-PGPUB;	2004/07/09 08:05
	1	blocked or inoperable or "not near2	EPO; JPO;	
		operable" or "out of service" or "not in	DERWENT;	
		service" or "not near2 function\$3")) with	IBM TDB	
		(database or memory or table or listing or	_	
		list or listed or store or storing or		
		storage)		

	,			
] -	14		USPAT;	2004/07/09 08:43
		"not near2 us?able" or "isn't adj1 us?able"	US-PGPUB;	
		or blocked or inoperable or "not near2	EPO; JPO;	
ļ		operable or "out of service or "not in	DERWENT;	
		service" or "not near2 function\$3")) with	IBM_TDB	
		(database or memory or table or listing or		
		list or listed or store or storing or storage)) and ((fax or facsimile or		
		(communication adj (terminal or apparatus or		
		device))))		Ì
_	14	(communication adj services!) with ("not	USPAT;	2004/07/09 08:59
		near2 us?able" or "not near2 us?able" or	US-PGPUB;	2001, 07, 05
		"isn't adj1 us?able" or blocked or	EPO; JPO;	
		inoperable or "not near2 operable" or "out	DERWENT;	
		of service" or "not in service" or "not	IBM_TDB	
		near2 function\$3")	_	
-	143	("5675628" "4595921" "4769768" "5245656"	USPAT;	2004/07/09 09:12
		"5473682" "5790553" "5857072" "6304576"	US-PGPUB;	
		"6606460" "5951694" "5917624" "5509010"	EPO; JPO;	
		"5864757" "6003019" "6012050" "6023498"	DERWENT;	
		"6124799" "6230160" "5406401" "5742745"	IBM_TDB	
	ĺ	"5806071" "5907674" "5949772" "5983096"		
		"6058435" "6085976" "6199066" "4910791"		
		"5243643" "5365516" "5435505" "5526403"		
		"5638432" "5678010" "5734851" "5806045"		
		"5826026" "5838251" "5905715" "5946630"		
		"5950126" "5983092" "5995610" "6009096"		
		"6038609" "6044368" "6047324" "6047061"		
		"6070001"	]	
		"6216156"		
		"6230271" "4450481" "4518961" "4527285"		1
		"4549075" "4768014" "4800523" "4815030"		
		"4819226" "4829466" "4833671" "4833673"		
		"4853955" "4855999" "4866770").pn.		
-	42	("5675628" "4595921" "4769768" "5245656"	USPAT;	2004/07/09 09:00
		"5473682" "5790553" "5857072" "6304576"	US-PGPUB;	2001, 07, 03
		"6606460" "5951694" "5917624" "5509010"	EPO; JPO;	
ļ		"5864757" "6003019" "6012050" "6023498"	DERWENT;	
		"6124799" "6230160" "5406401" "5742745"	IBM_TDB	
		"5806071" "5907674" "5949772" "5983096"	_	
		"6058435" "6085976" "6199066" "4910791"		
		"5243643" "5365516" "5435505" "5526403"		
		"5638432" "5678010" "5734851" "5806045"		
}		"5826026" "5838251" "5905715" "5946630"		
		"5950126" "5983092" "5995610" "6009096"		
		"6038609"		
]		"6070001"		
		"6160817" "6169743" "6170005" "6178453"		
		"6216156" "6223042" "6216156" "6223042" "6230271" "4450481" "4518961" "4527285"		
		"4549075" "4768014" "4800523" "4815030"		
		"4819226"		
		"4853955" "4855999" "4866770").pn. and (fax		
		or facsimile or (communication adj (terminal		
		or apparatus or device)))		
-	72	(database or memory or table or listing or	USPAT;	2004/07/09 09:07
		list or listed or store or storing or	US-PGPUB;	=====================================
		storage) same (services! with ("not near2	EPO; JPO;	
		us?able" or "not near2 us?able" or "isn't	DERWENT;	
		adj1 us?able" or blocked or inoperable or	IBM_TDB	
j		"not near2 operable" or "out of service" or	_	
		"not in service" or "not near2 function\$3"		
	<u> </u>	or "not available"))		

-	20	(database or memory or table or listing or	USPAT;	2004/07/09 09:07
		list or listed or store or storing or	US-PGPUB;	
	<b>1</b>	storage) same (services! with ("not near2	EPO; JPO;	
]		us?able" or "not near2 us?able" or "isn't	DERWENT;	
		adj1 us?able" or blocked or inoperable or	IBM_TDB	
		"not near2 operable" or "out of service" or		
		"not in service" or "not near2 function\$3"		
		or "not available")) and ((fax or facsimile		
		or (communication adj (terminal or apparatus		
		or device))))		
-	l 0	("5675628" "4595921" "4769768" "5245656"	USPAT;	2004/07/09 09:13
		"5473682" "5790553" "5857072" "6304576"	US-PGPUB;	2001,01,05
		"6606460" "5951694" "5917624" "5509010"	EPO; JPO;	1
		"5864757" "6003019" "6012050" "6023498"		
		"6124799" "6230160" "5406401" "5742745"	DERWENT;	
			IBM_TDB	
		"5806071" "5907674" "5949772" "5983096"		]
		"6058435" "6085976" "6199066" "4910791"		1
		"5243643" "5365516" "5435505" "5526403"		
		"5638432" "5678010" "5734851" "5806045" •		
		"5826026" "5838251" "5905715" "5946630"		
		"5950126" "5983092" "5995610" "6009096"		
	İ	"6038609" "6044368" "6047324" "6047061"		
		"6070001" "6101387" "6108519" "6122510"		]
		"6160817" "6169743" "6170005" "6178453"		
		"6216156" "6223042" "6216156" "6223042"		1
		"6230271" "4450481" "4518961" "4527285"		
ļ	ļ	"4549075" "4768014" "4800523" "4815030"		
		"4819226" "4829466" "4833671" "4833673"		
		"4853955" "4855999" "4866770").pn. and		
	ļ	(services! with ("not near2 us?able" or "not		
		near2 us?able" or "isn't adj1 us?able" or		
		blocked or inoperable or "not near2		
		operable" or "out of service" or "not in		
		service" or "not near2 function\$3" or "not		
	_	available"))		
-	0	("5675628" "4595921" "4769768" "5245656"	USPAT;	2004/07/09 09:13
		"5473682" "5790553" "5857072" "6304576"	US-PGPUB;	
		"6606460" "5951694" "5917624" "5509010"	EPO; JPO;	
		"5864757" "6003019" "6012050" "6023498"	DERWENT;	
		"6124799" "6230160" "5406401" "5742745"	IBM_TDB	
		"5806071" "5907674" "5949772" "5983096"		
		"6058435" "6085976" "6199066" "4910791"		
		"5243643" "5365516" "5435505" "5526403"		
	:	"5638432" "5678010" "5734851" "5806045"		
		"5826026" "5838251" "5905715" "5946630"		
		"5950126" "5983092" "5995610" "6009096"		
		"6038609" "6044368" "6047324" "6047061"		
		"6070001" "6101387" "6108519" "6122510"		
		"6160817" "6169743" "6170005" "6178453"		
		"6216156" "6223042" "6216156" "6223042"		
		"6230271" "4450481" "4518961" "4527285"		
		"4549075" "4768014" "4800523" "4815030"		1
		"4819226" "4829466" "4833671" "4833673"		
		"4853955" "4855999" "4866770").pn. and		
		(services with ("not near2 us?able" or "not		
		near2 us?able" or "isn't adj1 us?able" or		
		blocked or inoperable or "not near2		
		operable" or "out of service" or "not in		
.		service" or "not near2 function\$3" or "not		
		available"))		
			•	·

0 ("5675628" "4595921" "4769768	" "5245656" USPAT; 2004/07/09 09:
"5473682" "5790553" "5857072"	1
"6606460" "5951694" "5917624" "5864757" "6003019" "6012050"	
"6124799" "6230160" "5406401"	
"5806071" "5907674" "5949772"	
"6058435" "6085976" "6199066"	
"5243643" "5365516" "5435505"	
"5638432" "5678010" "5734851"	
"5826026" "5838251" "5905715"	"5946630"
"5950126" "5983092" "5995610"	
"6038609" "6044368" "6047324"	"6047061"
"6070001" "6101387" "6108519"	
"6160817" "6169743" "6170005"	
"6216156" "6223042" "6216156"	
"6230271" "4450481" "4518961"	
"4549075" "4768014" "4800523"	
"4819226" "4829466" "4833671" "4853055" "482566770"	
"4853955" "4855999" "4866770" (service with ("not near2 us?	
near2 us?able" or "isn't adj1	
blocked or inoperable or "not	
operable" or "out of service"	
service" or "not near2 function	
available"))	
5 ("5675628" "4595921" "4769768"	
"5473682" "5790553" "5857072"	"6304576" US-PGPUB;
"6606460" "5951694" "5917624"	"5509010" EPO; JPO;
"5864757" "6003019" "6012050"	,
"6124799" "6230160" "5406401"	
"5806071" "5907674" "5949772"	
"6058435" "6085976" "6199066"	
"5243643" "5365516" "5435505"	
"5638432" "5678010" "5734851" "5826026" "5838251" "5905715"	
"5950126" "5983092" "5995610"	
"6038609" "6044368" "6047324"	1
"6070001" "6101387" "6108519"	
"6160817" "6169743" "6170005"	"6178453"
"6216156" "6223042" "6216156"	
"6230271" "4450481" "4518961"	
"4549075" "4768014" "4800523"	
"4819226" "4829466" "4833671"	"4833673"
"4853955" "4855999" "4866770")	.pn. and ("not
near2 us?able" or "not near2 u	
"isn't adj1 us?able" or blocke	
inoperable or "not near2 opera	
of service" or "not in service"	
near2 function\$3" or "not ava: - 14 communication with service with	
us?able or "not near2 us?able	
adj1 us?able" or blocked or in	
"not near2 operable" or "out of	
"not in service" or "not near?	
or "not available") with (data	
or table or listing or list or	
store or storing or storage)	
- 2 communication with service with	
us?able" or "not near2 us?able	
adj1 us?able" or blocked or in	operable or EPO; JPO;
"not near2 operable" or "out o	
"not in service" or "not near?	
or "not available") with (data or table or listing or list on	
store or storing or storage) a	ind (facsimile
or fax)	WW TROSTUTE
- 420 (stor\$3 with (fax or facsimile	e) with USPAT; 2004/07/09 10:5
service) with (information or	
	EPO; JPO;
	DERWENT;
	IBM_TDB

-	93	<pre>(stor\$3 with (fax or facsimile) with (service adj3 (information or status)))</pre>	USPAT; US-PGPUB;	2004/07/09 11:00
		(Service adj) (Información of Status)//	EPO; JPO;	
			DERWENT;	
		(-b	IBM_TDB	2004/07/00 11 01
_	0	(stor\$3 with (fax or facsimile) with (service adj3 (information or status))) same	USPAT; US-PGPUB;	2004/07/09 11:01
		("not near2 us?able" or "not near2 us?able"	EPO; JPO;	
		or "isn't adj1 us?able" or blocked or	DERWENT;	
		inoperable or "not near2 operable" or "out	IBM_TDB	
		of service" or "not in service" or "not near2 function\$3" or "not available")		
-	1	(stor\$3 with (fax or facsimile) with	USPAT;	2004/07/09 11:04
		(service adj3 (information or status))) and	US-PGPUB;	
	ı	("not near2 us?able" or "not near2 us?able"	EPO; JPO;	
		or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out	DERWENT; IBM TDB	
		of service" or "not in service" or "not	15.1_155	
		near2 function\$3" or "not available")		
-	1	(stor\$3 with (fax or facsimile) with	USPAT;	2004/07/09 11:02
		(service adj3 (information or status))) same availability	US-PGPUB; EPO; JPO;	
		avariability	DERWENT;	
			IBM_TDB	
-	3	(stor\$3 adj3 (fax or facsimile) adj3	USPAT;	2004/07/09 11:05
		(service adj3 (information or status)))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	277		USPAT;	2004/07/09 11:06
		status or availability))) and (fax or facsimile)	US-PGPUB; EPO; JPO;	
	ļ	,	DERWENT;	
			IBM_TDB	
-	28	, ,	USPAT;	2004/07/09 11:19
		status or availability))) same (fax or facsimile)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	0001/05/00 45 45
_	8	(((store or storing) adj3 (availability or accessibility or availableness) with	USPAT; US-PGPUB;	2004/07/09 16:45
		information) same service) and (fax or	EPO; JPO;	
		facsimile)	DERWENT;	
	١,	///gtoro or gtoring) adia /awailahilitw or	IBM_TDB USPAT;	2004/07/00 11.20
-	1	(((store or storing) adj3 (availability or accessibility or availableness online) with	US-PGPUB;	2004/07/09 11:29
1		information) same service) and (fax or	EPO; JPO;	
		facsimile) and offline	DERWENT;	
_	1	(((store or storing) adj3 (availability or	IBM_TDB USPAT;	2004/07/09 11:29
		accessibility or availableness or online)	US-PGPUB;	2004/07/09 11:29
		with information) same service) and (fax or	EPO; JPO;	
		facsimile) and offline	DERWENT;	
_	12	(((store or storing) adj3 (help or	IBM_TDB USPAT;	2004/07/09 16:46
		guidance) with information) same service)	US-PGPUB;	2001,01,00 10.40
		and (fax or facsimile)	EPO; JPO;	
			DERWENT;	
_	12	(((store or storing) adj3 (help or guidance)	IBM_TDB USPAT;	2004/07/09 16:52
		with information) same service) and (fax or	US-PGPUB;	
		facsimile)	EPO; JPO;	
			DERWENT; IBM TDB	
-	2	5142550.pn.	USPAT;	2004/07/09 17:10
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	·	<u></u>		L

	т			
-	125	Pickett.in. and (audio or voice or display)	USPAT; US-PGPUB;	2004/07/09 17:11
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	68	Pickett.in. and (audio or voice or display)	USPAT;	2004/07/09 17:11
		and information	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	35	1	USPAT;	2004/07/09 17:13
		and information and (fax or facsimile)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	86	((display or show) with (help or guidance)	IBM_TDB USPAT;	2004/07/10 01:55
		with information) same (fax or facsimile)	US-PGPUB;	2004/07/10 01:55
		with intolanditor, band (lan of lacbinite)	EPO; JPO;	
1			DERWENT;	
			IBM TDB	
-	2	6335966.pn.	USPAT;	2004/07/10 01:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6493105.pn.	USPAT;	2004/07/10 01:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	,
_	4	6335966.pn. or 6493105.pn.	IBM_TDB USPAT;	2004/07/10 22:32
	-	0333300.pn: 01 0433103.pn:	US-PGPUB;	2004/07/10 22:32
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	6	("6335966" "6493105" "5438433" "5917615"	USPAT;	2004/07/10 02:16
1		"5926525" "6317592" "6230189" "5809025"	US-PGPUB;	
		"6466330" "5873077" "5539530" "6208426"	EPO; JPO;	
1		"5339156" "6731410" "5708655" "5987100"	DERWENT;	
		"5724406" "5812278" "5864670" "6028982"	IBM_TDB	
		"6172763" "6201797" "6266160" "6348970"		
		"6389121" "6470379" "6512593" "5844691" "5400335" "6243444" "6330070" "6683698"		
		"6055301"		
		"6205332" "5917895" "6396848" "6417930"		
		"6112078" "6233616" "5875302" "5991291"		
		"6449283" "6498837" "5210741" "6219150"		
		"6219150" "4855995" "5181238" "5467390"		
		"5497373" "5513126" "5572583" "5689642"		
		"5692039" "5712903" "5717493" "5812639"		
		"5918177" "6134432" "6178331" "6219547"		
		"6219547" "6266413" "6445794" "6469998"		
		"6553220" "5892587" "6137597" "5517324"		
		"6009082" "6199164" "5521719").pn. and		
L	L	(relay same password) and (fax or facsimile)	L	

	· - · - · - · · · · · · · · · · · · · ·			
-	2	("6335966" "6493105" "5438433" "5917615"	USPAT;	2004/07/10 02:21
		"5926525" "6317592" "6230189" "5809025" "6466330" "5873077" "5539530" "6208426"	US-PGPUB;	
		"5339156" "6731410" "5708655" "5987100"	EPO; JPO;	
		"5724406" "5812278" "5864670" "6028982"	DERWENT;	
		"6172763" "6201797" "6266160" "6348970"	IBM_TDB	
		"6389121" "6470379" "6512593" "5844691"		
		"5400335" "6243444" "6330070" "6683698"		
		"6055301" "5253285" "5790790" "6144363"		
		"6205332" "5917895" "6396848" "6417930"		
		"6112078" "6233616" "5875302" "5991291"		
		"6449283" "6498837" "5210741" "6219150"		
		"6219150" "4855995" "5181238" "5467390"		
		"5497373" "5513126" "5572583" "5689642"		
		"5692039" "5712903" "5717493" "5812639"		
		"5918177" "6134432" "6178331" "6219547"		
		"6219547" "6266413" "6445794" "6469998"		
		"6553220" "5892587" "6137597" "5517324"		
		"6009082" "6199164" "5521719").pn. and		
		(relay same password same (select\$3 or		
		chose\$2 or choos\$3)) and (fax or facsimile)		
-	2	("6335966" "6493105" "5438433" "5917615"	USPAT;	2004/07/10 03:46
		"5926525" "6317592" "6230189" "5809025"	US-PGPUB;	
		"6466330" "5873077" "5539530" "6208426"	EPO; JPO;	
		"5339156" "6731410" "5708655" "5987100"	DERWENT;	
		"5724406" "5812278" "5864670" "6028982"	IBM_TDB	
		"6172763" "6201797" "6266160" "6348970"	_	
		"6389121" "6470379" "6512593" "5844691"		
		"5400335" "6243444" "6330070" "6683698"		
		"6055301" "5253285" "5790790" "6144363"		
		"6205332" "5917895" "6396848" "6417930"		
		"6112078" "6233616" "5875302" "5991291"		
		"6449283" "6498837" "5210741" "6219150"		
		"6219150" "4855995" "5181238" "5467390"		
		"5497373" "5513126" "5572583" "5689642"		
		"5692039" "5712903" "5717493" "5812639"		
		"5918177" "6134432" "6178331" "6219547"		
		"6219547" "6266413" "6445794" "6469998"		
		"6553220" "5892587" "6137597" "5517324"		
		"6009082" "6199164" "5521719").pn. and		1
		(relay same password same (select\$3 or		
		chose\$2 or choos\$3)) and (fax or facsimile)		
		and (channel or path or line)		
_	0	indicator with (read or check) with (memory	USPAT;	2004/07/11 22:23
		or table) with service with availability	US-PGPUB;	
i			EPO; JPO;	
			DERWENT;	
_	,	indicates with (road on shock) with (road-	IBM_TDB	2004/07/10 03:50
	1	indicat\$3 with (read or check) with (memory or table) with service with availability	USPAT;	2004/07/10 03:50
		or capte, with service with availability	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	,	indicat\$3 with (read or check) with (memory	IBM_TDB USPAT;	2004/07/10 03:51
		or table or database) with service with	US-PGPUB;	2004/07/10 03:51
		availability		
		avaliability	EPO; JPO;	
			DERWENT;	
_	່	   (storage or storing or store) with (service	IBM_TDB USPAT;	2004/07/11 19:38
ļ		adj information) with (including or	US-PGPUB;	2007/01/11 13:38
		containing) with availability adj3 (service	EPO; JPO;	
		or information )	DERWENT;	
			IBM TDB	
-	11	(storage or storing or store) with (service	USPAT;	2004/07/11 19:40
		adj information) with (including or	US-PGPUB;	2004, 07, 11 19.40
1		containing) with (available or availability)	EPO; JPO;	
j :		adj3 (service or information )	DERWENT;	
			IBM TDB	
		L		1

-	10		USPAT;	2004/07/11 22:01
		adj information) with (including or	US-PGPUB;	
		containing) with (available or availability)	EPO; JPO;	
		with services!	DERWENT;	
			IBM_TDB	
-	10	(storage or storing or store) with ((service	USPAT;	2004/07/11 22:02
		or function) adj information) with	US-PGPUB;	
		(including or containing) with (available or	EPO; JPO;	
		availability) with services!	DERWENT;	
			IBM TDB	
-	75	(storage or storing or store) with ((service	USPAT;	2004/07/11 22:02
		or function) with information) with	US-PGPUB;	' '
		(including or containing) with (available or	EPO; JPO;	
		availability) with services!	DERWENT;	
		·• · · · · · · · · · · · · · · · · · ·	IBM TDB	
_	24	((storage or storing or store) with	USPAT;	2004/07/11 22:03
		((service or function) with information)	US-PGPUB;	
[		with (including or containing) with	EPO; JPO;	
		(available or availability) with services!)	DERWENT:	
		and (fax or facsimile)	IBM TDB	
_	15	(((store or storing) adj3 (help or guidance	USPAT;	2004/07/11 22:27
		or troubleshoot\$3) with information) same	US-PGPUB;	
		service) and (fax or facsimile)	EPO; JPO;	
		, and the table of address of	DERWENT:	
			IBM TDB	
	62	(((store or storing) with (help or guidance	USPAT;	2004/07/11 23:02
		or troubleshoot\$3) with information) same	US-PGPUB;	2001, 07, 11 23.02
		service) and (fax or facsimile)	EPO; JPO;	
		Solved, and transfer in the state of	DERWENT;	
			IBM TDB	
	105	(((store or storing or stored or memory)	USPAT;	2004/07/11 23:02
	103	with (help or guidance or troubleshoot\$3)	US-PGPUB;	2004/07/11 23:02
		with information) same service) and (fax or	EPO; JPO;	
		facsimile)	, .	
		Lacsimile)	DERWENT;	
			IBM TDB	L